


# Shedology 101

---

- A- Runner
- B- Rim Joist
- C- Floor Joist
- D- Flooring
- E- Wall Plate
- F- Wall Stud
- G- Girt
- H- Rafter
- I- Purlin
- J- Vent
- K- Doors



\*\*This diagram shows commonly referred to components and does not show all components that may make up a building. This is a generic diagram and it is important to remember all builders/brands construct their buildings differently. If you have a question regarding a particular component please reach out to your local sales rep, check out the models additional specifications on our website, or call us (270) 789 - 4236.

# Additional Specifications

## Sloping Ridge - Metal Loft Barn

---

Wall Specs	
Wall Height	6' 3"
Stud Type	2" x 4"
Stud Spacing	24" o.c
Siding	Central States, 29 gauge Panel-Loc Plus metal
Trim	Central States, 29 gauge metal
Sheathing	None
Vents	Building is constructed to vent air through the eaves.

Roof Specs	
Roof Pitch	Gambrel Style
Rafter Type	2" x 4" (Up to 12' wide gets 2" x 4" loft joists, 14' gets 2" x 6" loft joists).
Rafter Spacing	48" o.c
Roof Type	Central States, 29 gauge Panel-Loc Plus metal
Sheathing	Single bubble insulation

Floor Specs	
Joist Type	2" x 4"
Joist Spacing	16" o.c
Flooring	5/8" LP ProStruct Tongue and Groove flooring with SmartFinish
Runners	4" x 6" Pressure treated runners, notched
Runner #	10' Wide - 2 runners    12' & 14' Wide - 4 runners



# Additional Specifications

## Sloping Ridge - Metal Loft Barn


---

Door Specs	
Standard Door	6' Double doors
Door Opening	6' Double doors: Width - 70" Height - Approximately 79.5"
Threshold	Heavy duty aluminum diamond plate

Standard Features
12' Long - 6' Loft in rear, 16' to 24' Long - 8' Loft in rear, 28' to 32' Long - 8' Loft in each end, 36' to 40' Long - 10' Loft in each end, 44' to 48' Long - 12' Loft in each end.



**DO NOT USE THIS DIGITAL COLOR CHART FOR COLOR MATCHING.**  
 This digital color chart is intended to be viewed on computer monitors to show a wide range of colors available. Colors will vary depending on your computer monitor and monitor settings. Please ask for a physical color chart to view colors, and a metal sample for color matching purposes.



# Panel-Loc Plus™


## Color Selection Tool



	<b>PRIME</b> CentralGuard
<b>FADE PROTECTION</b>	<b>LIFETIME</b>
Paint Warranty	THICKER 1.0 mil
Paint Thickness	30-YEAR
Fade Warranty	✓✓
Fade Protection	
<b>RUST BLOCKING</b>	
Advanced Rust Blocking	✓
Perforation Warranty	20-YEAR
Substrate Thickness	1.60 mil
Substrate Coating	Galvalume
<b>DENT RESISTANCE</b>	
Advanced Dent Resistance	✓
Steel Thickness	THICK
Steel Gauge	29 ga.



Clear acrylic coating  
**Galvalume®**    **Burnished Slate**    **Brown**    **Tan**



- Forest
- Hunter
- Colony
- Crimson
- Rustic
- Burgundy
- Gallery
- Ocean
- Ivory
- Light Stone
- Desert
- Taupe