
Shedology 101

Н


A- Runner
B- Rim Joist
C- Floor Joist
D- Flooring
E- Wall Plate
K- Doors






\*\*This diagram shows commonly referred to components and does not show all components that may make up a building. This is a generic diagram and it is important to remember all builders/brands construct their buildings differently. If you have a question regarding a particular component please reach out to your local sales rep, check out the models additional specifications on our website, or call us (270) 789 - 4236.

## Additional Specifications



Judiype	$\angle X +$
Stud Spacing	16" o.c
Siding	5/8" Premium Quality T-111 Siding
Trim	Treated Trim Board
Sheathing	None
Vents	(2) 8"x16" metal vents placed at each gambrel & roof ridge vent.



Ratter Lype	2"x4"
Rafter Spacing	16" o.c
Roof Type	Mac Metals - Mac Life (A) WeatherXL 29 Gauge or 3D Architectural Shingles
Sheathing	7/16" OSB

Floor Specs				
Joist Type	8' & 12' Wide - 2'x4' / 10' & 14' Wide -2'x6'			
Joist Spacing	16" o.c			
Flooring	ooring 3/4" Tongue & Groove "Advantech" or its equivelant			

# Runners4"x6" Pressure Treated Runners, NotchedRunner #8' & 10' Wide - 2 Runners/12' & 14' Wide - 4 Runners



# Additional Specifications Superior - Cottage



#### Door Opening

### Threshold Heavy Duty Aluminum Diamond Plate

### Standard Features

(3) 2'x3' White Aluminum Gridded Windows







## Cedar Naturaltone


Before






A,B,C,D	Clay		Charcoal	A,B,C
		<ul> <li>MAC LIFE (A) - WEATHERXL® 29 GAUGE</li> <li>Lifetime Paint Adhesion warranty</li> </ul>		
A,B,C,D	Green	<ul> <li>30 Year chalk / 30 year fade resistance</li> <li>25 Year Galvalume<sup>®</sup> substrate warranty</li> </ul>	Burnished Slate	A,D
		<ul> <li>Residential Applications</li> </ul>		
		<ul> <li>Increased Hail Resistance</li> </ul>		
Α	Buckskin	MAC 20 (B) - SUPER DYNAPON® 29 GAUGE	Brown	A,B,C,D
		20Year Paint Adhesion warranty		
		<ul> <li>5 Year chalk / 5 year fade protection</li> </ul>		
A,B,C	Tan	<ul> <li>Galvalume substrate</li> <li>Agricultural Applications</li> </ul>	Gallery Blue	Α





- Lifetime Paint Adhesion warranty ٠
- 30 Year chalk / 30 year fade resistance ٠
- ♦ 25 Year Galvalume<sup>®</sup> substrate warranty
- Commercial & Interior Liner Panel Applications
- Increased Hail Resistance ٠



These colors are as representative of our paint as is technologically possible. For an exact match, please request a paint chip from your salesperson.

Premium & Elite color selections are subject to preferred pricing schedules.