


Shedology 101

- A- Runner
- B- Rim Joist
- C- Floor Joist
- D- Flooring
- E- Wall Plate
- F- Wall Stud
- G- Girt
- H- Rafter
- I- Purlin
- J- Vent
- K- Doors



**This diagram shows commonly referred to components and does not show all components that may make up a building. This is a generic diagram and it is important to remember all builders/brands construct their buildings differently. If you have a question regarding a particular component please reach out to your local sales rep, check out the models additional specifications on our website, or call us (270) 789 - 4236.

Additional Specifications

Superior - Garage

Wall Specs	
Wall Height	8' Wall Height (Approx 92.5")
Stud Type	2"x4"
Stud Spacing	16" o.c
Siding	5/8" Premium Quality T-111 Siding
Trim	Treated Trim Board
Sheathing	None
Vents	(2) 8"x16" metal vents placed at each gable & roof ridge vent.

Roof Specs	
Roof Pitch	4/12
Rafter Type	2"x4"
Rafter Spacing	16" o.c
Roof Type	Mac Metals - Mac Life (A) WeatherXL 29 Gauge or 3D Architectural Shingles
Sheathing	7/16" OSB

Floor Specs	
Joist Type	12' Wide - 2"x4" / 14' Wide - 2"x6"
Joist Spacing	12" o.c
Flooring	3/4" Tongue & Groove "Advantech" or its equivalent
Runners	4"x6" Pressure Treated Runners, Notched
Runner #	4 Runners



Additional Specifications

Superior - Garage

Door Specs	
Standard Door	9'x7' Overhead Door & 36" 6-Panel Steel Entry Door
Door Opening	
Threshold	Heavy Duty Aluminum Diamond Plate

Standard Features	
(1) 2'x3' White Aluminum Gridded Window	




Cedar Naturaltone





COLOR SELECTIONS



MAC LIFE (A) - WEATHERXL® 29 GAUGE


- ◆ Lifetime Paint Adhesion warranty
- ◆ 30 Year chalk / 30 year fade resistance
- ◆ 25 Year Galvalume® substrate warranty
- ◆ Residential Applications
- ◆ Increased Hail Resistance

MAC 20 (B) - SUPER DYNAPON® 29 GAUGE

- ◆ 20 Year Paint Adhesion warranty
- ◆ 5 Year chalk / 5 year fade protection
- ◆ Galvalume substrate
- ◆ Agricultural Applications

MAC 10 (C) - 29 GAUGE

- ◆ Most Economical Panel
- ◆ 10 Year Paint Adhesion warranty
- ◆ Agricultural & Interior Liner Panel Applications



HI-RIB (D) - WEATHERXL® 26 GAUGE

- ◆ Lifetime Paint Adhesion warranty
- ◆ 30 Year chalk / 30 year fade resistance
- ◆ 25 Year Galvalume® substrate warranty
- ◆ Commercial & Interior Liner Panel Applications
- ◆ Increased Hail Resistance



These colors are as representative of our paint as is technologically possible. For an exact match, please request a paint chip from your salesperson.

Premium & Elite color selections are subject to preferred pricing schedules.