


Shedology 101

- A- Runner
- B- Rim Joist
- C- Floor Joist
- D- Flooring
- E- Wall Plate
- F- Wall Stud
- G- Girt
- H- Rafter
- I- Purlin
- J- Vent
- K- Doors



**This diagram shows commonly referred to components and does not show all components that may make up a building. This is a generic diagram and it is important to remember all builders/brands construct their buildings differently. If you have a question regarding a particular component please reach out to your local sales rep, check out the models additional specifications on our website, or call us (270) 789 - 4236.

Additional Specifications

Sloping Ridge - Metal Lofted Cabin

Wall Specs	
Wall Height	6' 3"
Stud Type	2" x 4"
Stud Spacing	24" o.c
Siding	Central States, 29 gauge Panel-Loc Plus metal
Trim	Central States, 29 gauge metal
Sheathing	None
Vents	Building is constructed to vent air through the eaves.

Roof Specs	
Roof Pitch	Gambrel style
Rafter Type	2" x 4" (10' & 12' Wide gets 2" x 4" loft joists and 14' wide gets 2" x 6" loft joists)
Rafter Spacing	48" o.c
Roof Type	Central States, 29 gauge Panel-Loc Plus metal
Sheathing	Single bubble insulation

Floor Specs	
Joist Type	2" x 4"
Joist Spacing	16" o.c
Flooring	5/8" LP ProStruct Tongue and Groove flooring with SmartFinish
Runners	4" x 6" Pressure treated runners, notched
Runner #	10' Wide - 2 runners 12' & 14' wide - 4 runners.



Additional Specifications


Sloping Ridge - Metal Lofted Cabin

Door Specs	
Standard Door	9-lite or "half glass" door (36" x 72")
Door Opening	
Threshold	Heavy duty aluminum diamond plate

Standard Features	
(3) 2' x 3' Single pane aluminum windows. Lofts: Will receive half the length of the building as loft space. Front loft will always be 4', 6', or 8' depending on porch length (if upgraded) and remaining loft space will be in rear. 4' Porch w/ railing.	



DO NOT USE THIS DIGITAL COLOR CHART FOR COLOR MATCHING.
 This digital color chart is intended to be viewed on computer monitors to show a wide range of colors available. Colors will vary depending on your computer monitor and monitor settings. Please ask for a physical color chart to view colors, and a metal sample for color matching purposes.



Panel-Loc Plus™

Color Selection Tool



	PRIME CentralGuard
FADE PROTECTION	LIFETIME
Paint Warranty	THICKER 1.0 mil
Paint Thickness	30-YEAR
Fade Warranty	✓✓
Fade Protection	
RUST BLOCKING	
Advanced Rust Blocking	✓
Perforation Warranty	20-YEAR
Substrate Thickness	1.60 mil
Substrate Coating	Galvalume
DENT RESISTANCE	
Advanced Dent Resistance	✓
Steel Thickness	THICK
Steel Gauge	29 ga.



Clear acrylic coating
Galvalume® **Burnished Slate** **Brown** **Tan**



- Forest
- Hunter
- Colony
- Crimson
- Rustic
- Burgundy
- Gallery
- Ocean
- Ivory
- Light Stone
- Desert
- Taupe